

التاريخ: 2019 / 1 / 13

السادة المحترمين

تلفون:

فاكس:

BR1819-000672

Monitor For Vital:
Signs

الموضوع: عروض أسعار

رقم الاستدراج

(Q110-2018.19)

إشارة إلى الموضوع اعلاه الرجاء تزويدنا بأسعار اللوازم التالية (بالشيفل) شامل لضريبة القيمة المضافة والتوصيل للجامعة العربية الأمريكية:

الرقم	اسم الصنف	الوحدة	الكمية	السعر	اجمالي تكلفة البند
1	Monitor For Vital Signs According to the attached Specifications	عدد	2		
	المجموع الكلي				

شروط الاستدراج

- 1- يرجى العلم ان اخر موعد لتسليم العروض هو يوم (الاحد) الموافق 20/1/2019
- 2- الاسعار شاملة لضريبة القيمة المضافة.
- 3- ضرورة تحديد مدة التوريد من تاريخ استلام امر الشراء، و في حال عدم الالتزام يتم فرض غرامة تأخير .
- 4- ختم وتوقيع المورد المعتمد على هذا النموذج، وكتابة رقم الاستدراج واسم الشركة كما هو مسجل لدى الضريبة على الظرف.
- 5- لا تقبل العروض الا بالظرف المختوم.
- 6- للمراجعة والاستفسار بخصوص المواصفات يرجى الاتصال على هاتف 042418888 رقم داخلي 1491 او فاكس 042510972 او بريد الكتروني pnp@aauij.edu.
- 7- يجب تعبئة جدول المواصفات المرفق بالإضافة الى تقديم عرض تقني.
- 8- لمشاهدة العطاءات والاستدراجات، يرجى الدخول الى الرابط <http://www.aauij.edu/Tenders>

مع الاحترام،

مدير دائرة اللوازم والمشتريات

أ.حسين رباحة



Monitor for Vital Signs Specifications

Vital Sign monitor	Compliance Yes / No (if no put your comments)
Manufacture	Manufacture
Model	Model
Origin	Origin
Delivery time	Delivery time
3 years warranty, 10 years availability spare parts.	Yes / No
• Origin : USA Europe japan	Yes / No
• Brand name	Yes / No
• Lightweight and portable .	Yes / No
• Display : 85 x 100 mm	Yes / No
• For adult pediatric	Yes / No
• With memory	Yes / No
• <i>display & Measurement :</i>	Yes / No
• NIBP : DIA adult (21 to 220 mmHg) , pediatric (21 to 120 mmHg) , Neonate (21 to 100 mmHg)	Yes / No
• NIBP : SYS adult (41 to 255 mmHg) , pediatric (41 to 160 mmHg) , Neonate (41 to 130 mmHg)	Yes / No
• NIBP : MAP adult (26 to 210 mmHg) , pediatric (26 to 133 mmHg) , Neonate (26 to 120 mmHg)	Yes / No
• Pulse range : 25 to 220 BPM WITH ACCURACY $\pm 2\%$	Yes / No
• Spo2 :	Yes / No
Range : 0 to 100%	Yes / No
Saturation Accuracy : 70 to 100 % $\pm 2\%$	Yes / No
• Temperature :	Yes / No
Measurement range 0 to 100 %	Yes / No
Accuracy at 33 C ± 0.2	Yes / No
Display resolution : 0.1 C .	Yes / No



• Power source :	Yes / No
Direct	Yes / No
internal battery 12V 2100 mAh	Yes / No
operation time 4 hours .	Yes / No
<i>price include all accessories (sensors , probe , cuff , ..) to work completely for above parameter</i>	Yes / No
<u>Optional price :</u>	Yes / No
<i>Internal printer with paper</i>	Yes / No
Mobile stand with counter weight	Yes / No
Reusable spo2 sensor	Yes / No
Your warranty must be include all spare parts and labor .	Yes / No
Price should be include installation and team training in site .	Yes / No
Service & operation manuals are included & Date of manufacturing of system not less than 2018 .	Yes / No

